

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3684	(unstructured or "not" adj structured) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:42
S2	171	(unstructured or "not" adj structured) with data with quer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:42
S3	102	(unstructured or "not" adj structured) near data with quer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:50
S4	79	(unstructured or "not" adj structured) near data with quer\$3 and ("707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:43
S5	29	(unstructured or "not" adj structured) near data with quer\$3 same table and ("707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:43
S6	15	(unstructured or "not" adj structured) near data with quer\$3 with table and ("707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:43
S7	38	(unstructured or "not" adj structured) near data with quer\$3 and (generat\$3 or creat\$3) near3 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:51

## EAST Search History

S8	13	(unstructured or "not" adj structured) near data with quer\$3 and (generat\$3 or creat\$3) near3 table same user near5 (identify or identification or specify or specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:52
S9	13	(unstructured or "not" adj structured) near data with quer\$3 and (generat\$3 or creat\$3) near3 table same user near5 (identify or identification or specify or specification) and "707". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:52
S10	69	(creat\$3 or generat\$3) near3 table same unstructur\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:19
S11	39	(creat\$3 or generat\$3) near3 table with unstructur\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:23
S12	15	(creat\$3 or generat\$3) near3 table with unstructur\$2 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:46
S13	2	(creat\$3 or generat\$3) near3 table with unstructur\$2 and "707/3".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:19
S14	0	(creat\$3 or generat\$3) near3 table same unstructur\$2 same user near3 (input\$4 or select\$3 or defin\$2 or definition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:24

## EAST Search History

S15	42	(creat\$3 or generat\$3) near3 table same unstructur\$2 same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:24
S16	35	(creat\$3 or generat\$3) near3 table same unstructur\$2 with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:24.
S17	1	(creat\$3 or generat\$3) near3 table with unstructur\$2 with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:24
S18	33	(creat\$3 or generat\$3) near3 table with unstructur\$2 same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:25
S19	23	(creat\$3 or generat\$3) near3 table with unstructur\$2 same user not S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:25
S21	10	(creat\$3 or generat\$3) near3 table with unstructur\$2 same user and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:27
S22	0	(creat\$3 or generat\$3) near3 table with unstructur\$2 same user and "707".clas. not S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:25

## EAST Search History

S23	1	(stor\$3) with xml with element with table with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:38
S24	1	(stor\$3) with xml with element with table same (plurality or multiple) with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:30
S25	1	(stor\$3) with xml with table same (plurality or multiple) with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:30
S26	1	(stor\$3) with xml same database with table same (plurality or multiple) with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:30
S27	3	xml same database with table same (plurality or multiple) with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:30
S28	19	(stor\$3) with xml with element same table same (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:33
S29	4	(stor\$3) with xml with element same table and (plurality or multiple or (first with second)) near3 (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:35

## EAST Search History

S30	338873	(stor\$3) with xml wit table and (plurality or multiple or (first with second)) near3 (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:35
S31	10	(stor\$3) with xml with table and (plurality or multiple or (first with second)) near3 (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:35
S32	35	(stor\$3) with xml with table with (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:42
S33	4	(stor\$3) with xml with table same conform\$3 near4 (dtd or "data type definition")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:44
S34	942	quer\$4 with (multiple or plurality) near database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:45
S35	643	quer\$4 with (multiple or plurality) near database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:45
S36	718	quer\$4 near4 (multiple or plurality) near database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:45

## EAST Search History

S37	6	xml with quer\$4 near4 (multiple or plurality) near database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:46
S38	2	xml with quer\$4 near4 (multiple or plurality) adj database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:46
S39	289	quer\$4 near4 (multiple or plurality) adj database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:46
S40	99	xml and quer\$4 near4 (multiple or plurality) adj database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:46
S41	20	xml same quer\$4 near4 (multiple or plurality) adj database and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 23:46
S42	34	user with (identif\$3 or map\$4) with unstructured and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:52
S43	14	user with (identif\$3 or map\$4) with unstructured adj (data or information) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 19:47

## EAST Search History

S44	5	"audit trail" with database with ("not" or cannot) near3 (alter\$3 or chang\$3) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 20:47
S45	8	(US-20040186826-\$ or US-20030033275-\$ or US-20040167911-\$ or US-20040215634-\$ or US-20030233618-\$ or US-20040243595-\$ or US-20020078068-\$ or US-20020116363-\$).did.	US-PGPUB	OR	OFF	2008/01/18 21:09
S47	1	S45 and dtd	US-PGPUB	OR	OFF	2008/01/18 21:12
S48	48	(plurality or multiple) with dtd with xml	US-PGPUB	OR	ON	2008/01/18 21:54
S49	38	(plurality or multiple) with dtd with xml and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:12
S50	4	(plurality or multiple) with dtd with xml with conform\$3 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:12
S51	10	user with (identif\$3 or map\$4) with unstructured and "707/3".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:53
S52	18	user same (identif\$3 or map\$4) with unstructured and "707/3".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:53

## EAST Search History

S54	8	user same (identif\$3 or map\$4) with unstructured and "707/3".ccls. not S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 21:53
S55	6	(plurality or multiple) with dtd with xml and 707/3.ccls.	US-PGPUB	OR	ON	2008/01/18 21:54